

### OCELOT DRILL RESULTS

HOLE	FROM (m)	TO (m)	INTERVAL (m)	SILVER (g/t)	LEAD (%)	ZINC (%)	Lead/Zinc (%)
OC-10-01	49.12	53.35	4.23	360	9.83	25.06	34.89
OC-10-02	No significant results						
OC-10-03	No significant results						
OC-10-04	No significant results						
OC-10-05	No significant results						
OC-11-06	154.82	160.83	6.01	23.86	0.08	8.83	8.91
OC-11-07	192.02	203.9	11.88	58.03	2.01	12.41	14.42
OC-11-08	No significant results						
OC-11-09	109.73	151.45	41.72	145.43	3.36	11.65	15.01
OC-11-10	56.96	120.4	63.44	73.81	2.44	8.18	10.62
OC-11-11	32.19	70.1	37.91	188.07	8.69	6.06	14.75
incl.	37	51.82	14.82	400.18	20.44	9.5	29.94
OC-11-12	58.4	85.23	26.83	71.66	2.22	13.61	15.83
OC-11-13	169.16	182.88	13.72	174.18	6.39	8.55	14.94
OC-11-14	46.05	81.69	35.64	46.43	1.36	8.12	9.48
OC-11-15							
OC-11-16	48.38	83.95	35.57	56.53	1.63	9.73	11.36
OC-11-17	83.4	96.01	12.61	34.13	1.02	12.48	13.5
OC-11-18	77.72	106.75	29.03	121.12	0.51	1.28	1.79
OC-11-19	No significant results						
OC-11-20	No significant results						
OC-11-21	No significant results						
OC-11-22	No significant results						
OC-11-23	No significant results						
OC-11-24	No significant results						

True widths for Ocelot drill holes are estimated to be 60% - 70% of intersected widths