

TIGER DRILL RESULTS

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
Rau-08-02	52.73	121.42	68.69	1.24	Sulphide
Rau-08-03	9.14	42.67	33.53	2.51	Oxide
	51.81	62.55	10.74	0.71	Oxide
Rau-08-04	101.61	170.25	68.64	1.65	Sulphide
Rau-08-05	71.50	100.38	28.88	2.26	Sulphide
	109.38	150.04	40.66	1.64	Sulphide
Rau-08-06	9.70	45.70	36.00	1.57	Sulphide
	54.70	66.70	12.00	2.56	Sulphide
Rau-08-07	136.52	142.52	6.00	1.05	Sulphide
	172.87	186.87	14.00	5.20	Sulphide
	226.87	237.87	11.00	1.52	Sulphide
Rau-08-08	165.94	171.94	6.00	0.77	Sulphide
	192.94	198.94	6.00	0.96	Sulphide
Rau-08-10	79.90	85.90	6.00	0.53	Sulphide
Rau-08-11	19.67	28.41	8.74	2.87	Sulphide
	124.17	130.17	6.00	0.57	Sulphide
	168.91	188.27	19.36	1.05	Sulphide
	227.08	235.65	8.57	0.65	Sulphide
Rau-08-13	103.05	121.05	18.00	1.46	Sulphide
Rau-08-16	8.84	79.25	70.41	1.98	Oxide
Rau-08-18	58.72	69.20	10.48	1.83	Sulphide
	134.02	143.02	9.00	0.93	Sulphide
Rau-09-19	41.45	85.34	43.89	15.52	Oxide
Rau-09-21	20.73	45.11	24.38	0.69	Oxide
Rau-09-22	64.31	71.63	7.32	0.25	Oxide
Rau-09-23	60.35	87.78	27.43	9.72	Oxide
Rau-09-24	75.00	82.66	7.66	0.76	Oxide
	102.41	122.83	20.42	0.94	Oxide
Rau-09-25	7.01	17.68	10.67	0.45	Oxide
	51.21	75.59	24.38	1.36	Oxide
	81.69	87.78	6.09	0.45	Oxide
	127.41	134.75	7.34	0.33	Oxide
Rau-09-26	34.62	40.84	6.22	1.11	Sulphide
	69.94	83.82	13.88	0.97	Sulphide
	90.73	98.15	7.42	1.06	Sulphide
Rau-09-27	16.15	70.75	54.60	3.16	Oxide
Rau-09-28	88.39	107.29	18.90	1.58	Oxide
Rau-09-29	89.31	96.93	7.62	0.79	Sulphide
	109.55	117.82	8.27	1.40	Sulphide
Rau-09-31	7.03	72.54	65.51	2.13	Oxide
Rau-09-33	55.62	102.87	47.25	1.04	Oxide
Rau-09-34	45.00	121.31	76.31	2.32	Oxide
Rau-09-35	117.43	123.48	6.05	1.42	Sulphide
Rau-09-36	31.60	93.36	61.76	3.14	Oxide

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
	93.36	99.37	6.01	3.90	Sulphide
Rau-09-37	13.11	26.20	13.09	2.73	Oxide
	40.73	49.68	8.95	0.34	Oxide
	69.49	77.11	7.62	0.91	Sulphide
Rau-09-38	32.32	51.51	19.19	1.44	Oxide
	100.92	107.66	6.74	0.39	Oxide
	120.40	129.00	8.60	0.37	Oxide
Rau-09-39	96.01	103.18	7.17	1.34	Oxide
Rau-09-40	7.01	22.38	15.37	1.14	Oxide
Rau-09-41	71.63	96.10	24.47	19.58	Oxide
	113.65	124.51	10.86	0.40	Oxide
	143.60	153.92	10.32	0.67	Oxide
	166.12	172.21	6.09	0.35	Oxide
Rau-09-42	10.06	23.00	12.94	2.27	Sulphide
	40.54	61.87	21.33	2.04	Sulphide
	107.59	113.69	6.10	0.80	Sulphide
Rau-09-43	8.95	48.90	39.95	1.91	Oxide
Rau-09-44	183.59	220.37	36.78	3.71	Sulphide
Rau-09-45	88.24	123.44	35.20	0.91	Sulphide
	175.00	181.90	6.90	0.74	Sulphide
Rau-09-46	13.11	72.84	59.73	5.44	Oxide
Rau-09-47	25.91	32.00	6.09	0.26	Oxide
	49.83	88.39	38.56	2.59	Oxide
Rau-09-48	54.25	78.88	24.63	3.07	Oxide
Rau-09-50	35.97	42.06	6.09	0.52	Sulphide
Rau-09-51	3.96	27.28	23.32	1.07	Oxide
Rau-09-53	51.88	101.50	49.62	2.15	Oxide
	122.83	131.62	8.79	0.30	Oxide
Rau-09-54	50.29	56.39	6.10	0.85	Sulphide
Rau-09-56	72.54	108.34	35.80	3.77	Oxide
Rau-09-57	51.82	62.48	10.66	1.03	Oxide
Rau-09-59	14.63	21.65	7.02	0.64	Oxide
	21.65	57.30	35.65	2.55	Sulphide
	60.40	79.86	19.46	5.44	Oxide
	79.86	92.95	13.09	0.68	Sulphide
	104.55	111.21	6.66	0.58	Sulphide
Rau-09-60	6.10	16.85	10.75	4.91	Sulphide
	16.85	21.20	4.35	5.99	Oxide
	21.20	99.06	77.86	2.06	Sulphide
Rau-09-61	170.43	177.60	7.17	0.75	Sulphide
	317.40	340.46	23.06	3.36	Sulphide
Rau-09-62	6.10	36.58	30.48	3.01	Oxide
Rau-09-63	5.00	13.11	8.11	1.32	Oxide
	35.97	58.83	22.86	3.68	Oxide
Rau-09-64	104.97	111.55	6.58	2.34	Sulphide

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
	219.25	225.55	6.30	1.38	Sulphide
	246.89	254.35	7.46	0.51	Sulphide
Rau-09-65	75.59	83.21	7.62	0.34	Oxide
	112.95	152.11	39.16	0.97	Oxide
Rau-09-66	7.01	13.65	6.64	11.95	Oxide
	13.65	103.02	89.37	3.45	Sulphide
Rau-09-67	1.52	9.14	7.62	1.16	Oxide
	9.14	28.96	19.82	2.16	Sulphide
	38.10	54.86	16.76	1.15	Sulphide
Rau-09-68	7.42	52.14	44.72	3.37	Oxide
Rau-09-69	4.57	21.34	16.77	3.18	Sulphide
	39.62	58.85	19.23	3.11	Sulphide
Rau-09-70	10.30	28.96	18.66	1.63	Sulphide
	35.20	53.34	18.14	0.50	Sulphide
	60.96	67.50	6.54	1.71	Sulphide
Rau-09-71	6.10	25.91	19.81	3.96	Oxide
	27.43	33.53	6.10	0.54	Sulphide
	69.91	77.72	7.81	0.50	Sulphide
Rau-10-72	178.92	187.81	8.89	0.40	Oxide
Rau-10-73	121.00	127.00	6.00	1.41	Sulphide
	172.95	205.00	32.05	1.97	Sulphide
Rau-10-74	179.22	192.18	12.96	0.33	Oxide
Rau-10-75	142.34	148.44	6.10	1.01	Sulphide
	193.55	202.69	9.14	0.67	Sulphide
Rau-10-79	83.67	103.02	19.35	5.29	Oxide
Rau-10-80	118.00	125.14	7.14	1.56	Sulphide
Rau-10-81	106.31	117.33	11.02	1.77	Sulphide
Rau-10-82	6.09	53.34	47.25	1.28	Sulphide
Rau-10-83	110.66	116.89	6.23	4.34	Sulphide
Rau-10-85	36.58	44.20	7.62	0.61	Sulphide
	57.91	72.75	14.84	0.91	Oxide
	76.40	91.81	15.41	0.71	Sulphide
Rau-10-86	6.10	24.38	18.28	0.58	Oxide
	66.00	72.00	6.00	0.96	Oxide
Rau-10-87	105.84	113.46	7.62	4.94	Sulphide
	277.00	295.28	18.28	1.95	Sulphide
Rau-10-88	31.00	91.44	60.44	8.49	Oxide
Rau-10-89	103.30	115.29	11.99	0.68	Sulphide
	256.40	272.00	15.60	0.69	Sulphide
	317.74	327.61	9.87	0.93	Sulphide
Rau-10-90	32.92	71.72	38.80	17.11	Oxide
Rau-10-91	99.65	109.12	9.47	0.91	Sulphide
Rau-10-94	12.02	87.78	75.76	5.57	Oxide
Rau-10-96	4.57	14.09	9.52	4.17	Oxide
	14.09	27.21	13.12	5.11	Sulphide

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
	27.21	43.56	16.35	3.03	Oxide
	50.81	57.91	7.10	1.02	Oxide
	62.48	70.10	7.62	1.54	Oxide
Rau-10-100	127.85	140.00	12.15	0.60	Sulphide
	162.00	169.61	7.61	2.35	Sulphide
Rau-10-101	223.38	256.34	32.96	1.02	Oxide
Rau-10-102	45.11	122.83	77.72	1.25	Oxide
Rau-10-103	85.34	94.45	9.11	1.05	Sulphide
	149.02	164.00	14.98	2.50	Sulphide
Rau-10-104	42.06	49.89	7.83	0.59	Oxide
Rau-10-105	210.92	222.20	11.28	6.34	Oxide
Rau-10-108	87.78	125.44	37.66	3.16	Oxide
Rau-10-109	135.60	150.47	14.87	2.35	Oxide
Rau-10-111	155.59	186.93	31.34	1.10	Sulphide
	211.23	219.57	8.34	0.32	Oxide
Rau-10-112	171.60	182.27	10.67	0.48	Oxide
	189.89	202.47	12.58	1.74	Oxide
Rau-10-113	139.30	146.20	6.90	0.66	Oxide
Rau-10-114	122.13	148.74	26.61	2.36	Oxide
Rau-10-115	184.20	194.70	10.50	1.11	Sulphide
Rau-10-116	57.30	108.40	51.10	3.46	Oxide
Rau-10-117	87.48	160.69	73.21	1.82	Sulphide
Rau-10-118	75.59	130.45	54.86	1.62	Oxide
Rau-10-119	121.01	136.25	15.24	2.05	Sulphide
Rau-10-120	61.57	131.23	69.66	2.26	Oxide
Rau-10-121	36.00	92.35	56.35	1.08	Oxide
Rau-10-122	52.73	95.40	42.67	3.42	Oxide
Rau-10-123	48.16	57.30	9.14	0.73	Sulphide
	64.92	71.02	6.10	0.85	Sulphide
Rau-10-124	7.01	17.80	10.79	7.96	Oxide
	29.87	55.78	25.91	6.91	Oxide
	55.78	89.31	33.53	1.10	Sulphide
Rau-10-125	62.48	82.29	19.81	7.12	Oxide
	89.92	100.58	10.66	0.42	Oxide
Rau-10-126	3.96	48.73	44.77	1.95	Oxide
	55.62	84.73	29.11	1.09	Oxide
Rau-10-127	12.19	71.63	59.44	1.37	Oxide
Rau-10-128	42.06	84.73	42.67	2.30	Oxide
Rau-10-129	24.38	76.90	52.52	3.10	Oxide
Rau-10-130	7.01	39.01	32.00	0.67	Oxide
	46.63	86.26	39.63	0.69	Oxide
Rau-10-131	18.82	57.91	39.09	1.92	Oxide
Rau-10-132	29.87	62.51	32.64	8.91	Oxide
	95.40	110.76	15.36	0.86	Sulphide
Rau-15-133	No significant intersections - geotech hole				Oxide

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
Rau-15-134	58.52	63.09	4.57	4.42	Oxide
incl.	61.57	63.09	1.52	12.15	Oxide
Rau-15-135	No significant intersections - geotech hole				
Rau-15-136	No significant intersections - geotech hole				
Rau-15-137	No significant intersections - geotech hole				
Rau-15-138	6.1	19.81	13.71	0.75	Oxide
incl.	13.72	19.81	6.09	1.1	Oxide
Rau-15-139	15.24	53.49	38.25	2.81	Oxide
incl.	22.86	38.1	15.24	5.92	Oxide
Rau-15-140	10.67	24.9	14.23	0.74	Oxide
incl.	13.72	16.76	3.04	1.94	Oxide
Rau-15-141	4.75	31.54	26.79	0.82	Oxide
Rau-15-142	4.57	15.24	10.67	2.07	Oxide
incl.	9.14	12.19	3.05	6.17	Oxide
and	22.86	35.05	12.19	1.63	Oxide
incl.	25.91	28.96	3.05	4.08	Oxide
Rau-15-143	4.57	22.86	18.29	1.85	Oxide
and	33.53	48.77	15.24	0.99	Oxide
Rau-15-144	21.34	38.1	16.76	0.75	Sulphide
and	44.2	62.48	18.28	2.01	Sulphide
Rau-15-145	No significant intersections				
Rau-15-146	19.81	25.91	6.1	2.24	Oxide
Rau-15-147	9.14	27.43	18.29	2.32	Oxide
incl.	12.19	16.76	4.57	7.48	Oxide
Rau-15-148	12.19	28.96	16.77	1.34	Oxide
Rau-15-149	15.24	27.43	12.19	2.77	Oxide
incl.	22.86	25.91	3.05	8.9	Oxide
Rau-15-150	5.49	32.92	27.43	1.3	Oxide
and	48.16	60.35	12.19	0.75	Oxide
RAU-17-151	4.57	65.76	61.19	1.32	Sulphide
incl.	4.57	9.54	4.97	5.01	Oxide
RAU-17-152	13.72	50.29	36.57	2.02	Sulphide
RAU-17-153	1.79	41.15	39.36	2.41	Sulphide
incl.	24.38	38.10	13.72	4.46	
RAU-17-154	42.67	106.68	64.01	2.46	Sulphide
incl.	94.49	103.63	9.14	5.29	
RAU-17-155	6.10	53.64	47.54	1.73	Sulphide
RAU-17-156	49.63	106.40	56.77	4.08	Sulphide
incl.	49.63	67.06	17.43	6.06	
and incl.	94.49	103.63	9.14	8.07	
RAU-17-157	42.13	79.25	37.12	5.23	Sulphide
incl.	50.29	59.97	9.68	11.35	
and	94.49	127.59	33.10	2.80	Sulphide
RAU-17-158	46.32	61.57	15.25	4.61	Sulphide
and	76.81	121.01	44.20	1.03	Sulphide

HOLE #	FROM (m)	TO (m)	INTERVAL (m)	GOLD (g/t)	TYPE
RAU-17-159	30.48	82.30	51.82	5.66	Oxide
incl.	70.10	82.30	12.20	13.54	
RAU-17-160	9.14	30.48	21.34	2.59	Oxide
incl.	27.43	30.48	3.05	9.97	
RAU-17-161	No significant intersections				
True widths for Tiger drill holes are estimated to be between 79% - 90% of intersected widths.					